

## **WHS Inspection Checklist for New and Existing Host Business**

	eted prior to the appointment of any apprentice/s.  o discuss in more detail, please contact your Appre	ntice Employment Man	ager or th	e WHS Manager on 0439 492 537.	
Host Business Name:		Host Contact:			
Person/s conducting this inspection:		Host / Site Address:			
Date and Time of Inspection:		Areas Inspected:			
CENTERAL CAPETY ITEMS			VEC	COMMATNITS	
GENERAL SAFETY ITEMS			YES	COMMENTS	
Are the individual work areas neat and	tidy?				
Is there signage in place for Personal Pr	rotective Equipment (PPE) requirements?				
Are all workers aware of the location o					
Are all workers aware of the location of Eye Wash Bays and/or safety showers?					
Is the compulsory WorkCover poster di	splayed?				
FIRE AND EMERGENCY		YES	COMMENTS		
		All emergency equipment is accessible maintained and certified (i.e., Spill Kit, Fire Blankets, Fire Extinguishers, Fire Hose)?			
All emergency equipment is accessible	maintained and certified (i.e., Spill Kit, Fire Blankets, Fir	e Extinguishers, Fire Hose	:):		
All emergency equipment is accessible Emergency Exits are marked with illum	<u> </u>	e Extinguishers, Fire Hose	1)?		
	inated signs?	e Extinguishers, Fire Hose	1)?		
Emergency Exits are marked with illum	inated signs? ree of obstructions?	e Extinguishers, Fire Hose	9)?		
Emergency Exits are marked with illum  Access to fire equipment is clear and fr	inated signs? ee of obstructions? of obstructions?	e Extinguishers, Fire Hose	9)?		
Emergency Exits are marked with illum Access to fire equipment is clear and fr Are the emergency exits clear and free	inated signs? ee of obstructions? of obstructions?	e Extinguishers, Fire Hose	9)?		
Emergency Exits are marked with illum Access to fire equipment is clear and fr Are the emergency exits clear and free Are there Evacuation Plans on display?	inated signs? ee of obstructions? of obstructions?	e Extinguishers, Fire Hose	YES	COMMENTS	
Emergency Exits are marked with illum Access to fire equipment is clear and fr Are the emergency exits clear and free Are there Evacuation Plans on display?	inated signs? ee of obstructions? of obstructions?  EQUIPMENT AND MOBILE MACHINERY	e Extinguishers, Fire Hose		COMMENTS	
Emergency Exits are marked with illum Access to fire equipment is clear and from Are the emergency exits clear and free Are there Evacuation Plans on display?  HOISTS, CRANES, GANTRIES, LIFTING E	inated signs? ee of obstructions? of obstructions?  EQUIPMENT AND MOBILE MACHINERY d easily accessible?	e Extinguishers, Fire Hose		COMMENTS	

WHS Host Inspection V5.4 Page 1 of 2



WORK ENVIRONMENT/ELECTRICAL SAFETY	YES	COMMENTS
Is it appropriate ventilation in the work areas?		
Is there adequate lighting for the working being done?		
Are the washrooms clean, hygienic and functional?		
Are eating areas separate from the workshop environment?		
Are all stairways maintained (handrails, step tread) free from obstruction and in good condition? (if applicable)		
Power leads and extension cords are off the floor and away from walkways?		

LEGAL OBLIGATIONS	YES	SIGNATURE OF HOST BUSINESS REPRESENTATIVE
Is the Host Business aware of legal obligations around electrical tagging?		
Electrical Tagging		
https://www.safeworkaustralia.gov.au/safety-topic/hazards/electrical-safety/whs-duties		
Is the Host Business aware of legal obligations around a list/inventory of all chemicals on site?		
<u>Hazardous Substances</u>		
https://www.safeworkaustralia.gov.au/law-and-regulation/duties-under-whs-laws/duties-pcbu		

## **ACKNOWLEDGEMENT**

The above inspection checklist has been conducted, documented, and stands true as of today's date.

It is the Hosts Business legal requirement to maintain the level of WHS safety for the apprentice/s in the workplace.

REPRESENTATIVE FROM APPRENTICESHIPS ARE US:	REPRESENTATIVE FROM HOST BUSINESS:		
Full Name:	Full Name:		
Signature:	Position:		
Date:	Contact Details:		
	Signature:		
	Date:		

WHS Host Inspection V5.4 Page 2 of 2